

	Type	Hits	Search Text	DBs
1	BRS	10	YAMAZAKI-SHUMPEI ARAI-YASUYUKI KOYAMA-JUN	US-PGPUB
2	IS&R	1797	("257/66,69,70,72").CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
3	BRS	237	((("257/66,69,70,72").CCLS.) and pixel\$1 and (pmos nmos (n p "n" "p") adj (mos channel)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
4	BRS	0	((("257/66,69,70,72").CCLS.) and pixel\$1 and (pmos nmos (n p "n" "p") adj (mos channel))) and columnar adj spacer\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
5	BRS	0	((("257/66,69,70,72").CCLS.) and pixel\$1 and (pmos nmos (n p "n" "p") adj (mos channel))) and columnar adj (support\$1 spacer\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
6	BRS	0	((("257/66,69,70,72").CCLS.) and columnar adj (support\$1 spacer\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
7	BRS	820	columnar adj (support\$1 spacer\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
8	BRS	6	(columnar adj (support\$1 spacer\$1)) and (438/\$ 257/\$) and (lcd liquid adj crystal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
9	BRS	28	reflect\$5 with electrode and ((("257/66,69,70,72").CCLS.) and pixel\$1 and (pmos nmos (n p "n" "p") adj (mos channel)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
10	BRS	103	((("257/66,69,70,72").CCLS.) and pixel\$1 and (pmos nmos (n p "n" "p") adj (mos channel))) and (ldd lightly adj dop\$3 near (source drain) extension\$1 near2 dop\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
11	BRS	23	((("257/66,69,70,72").CCLS.) and pixel\$1 and (pmos nmos (n p "n" "p") adj (mos channel))) and organic with insulat\$5 with interlayer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB

	Time Stamp	Comments	Error Definition	Errors
1	2001/10/02 13:45			0
2	2001/10/02 13:48			0
3	2001/10/02 16:25			0
4	2001/10/02 13:52			0
5	2001/10/02 13:52			0
6	2001/10/02 13:54			0
7	2001/10/03 14:04			0
8	2001/10/02 16:43		Truncation Overflow. Return string from Server is: 5`0`0`438	1
9	2001/10/02 16:42			0
10	2001/10/03 09:53			0
11	2001/10/02 16:41			0

	Type	Hits	Search Text	DBs
12	BRS	14	((("257/66,69,70,72").CCLS.) and pixel\$1 and (pmos nmos (n p "n" "p") adj (mos channel))) and (ldd lightly adj dop\$3 near (source drain) extension\$1 near2 dop\$3)) and ((("257/66,69,70,72").CCLS.) and pixel\$1 and (pmos nmos (n p "n" "p") adj (mos channel))) and organic with insulat\$5 with interlayer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
13	BRS	4	((("257/66,69,70,72").CCLS.) and pixel\$1 and (pmos nmos (n p "n" "p") adj (mos channel))) and organic with insulat\$5 with interlayer) not semiconductor adj energy adj laboratory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
14	BRS	9	((("257/66,69,70,72").CCLS.) and pixel\$1 and (pmos nmos (n p "n" "p") adj (mos channel))) and (ldd lightly adj dop\$3 near (source drain) extension\$1 near2 dop\$3)) and ((("257/66,69,70,72").CCLS.) and pixel\$1 and (pmos nmos (n p "n" "p") adj (mos channel))) and organic with insulat\$5 with interlayer)) and (reflect\$5 with electrode and (("257/66,69,70,72").CCLS.) and pixel\$1 and (pmos nmos (n p "n" "p") adj (mos channel))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
15	BRS	43	((("257/66,69,70,72").CCLS.) and pixel\$1 and (pmos nmos (n p "n" "p") adj (mos channel))) and (ldd lightly adj dop\$3 near (source drain) extension\$1 near2 dop\$3)) not semiconductor adj energy adj laboratory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
16	BRS	313	((("257/66,69,70,72").CCLS.) and (pmos nmos (n p "n" "p") adj (mos channel)) not ((("257/66,69,70,72").CCLS.) and pixel\$1 and (pmos nmos (n p "n" "p") adj (mos channel)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB

	Time Stamp	Comments	Error Definition	Errors
12	2001/10/02 14:46			0
13	2001/10/02 14:49			0
14	2001/10/02 14:48			0
15	2001/10/02 14:50			0
16	2001/10/02 16:26			0

	Type	Hits	Search Text	DBs
17	BRS	81	((("257/66,69,70,72").CCLS.) and (pmos nmos (n p "n" "p") adj (mos channel)) not ((("257/66,69,70,72").CCLS.) and pixel\$1 and (pmos nmos (n p "n" "p") adj (mos channel)))) and (ldd lightly adj dop\$3 near (source drain) extension\$1 near2 dop\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
18	BRS	1	((("257/66,69,70,72").CCLS.) and (pmos nmos (n p "n" "p") adj (mos channel)) not ((("257/66,69,70,72").CCLS.) and pixel\$1 and (pmos nmos (n p "n" "p") adj (mos channel)))) and organic with insulat\$5 with interlayer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
19	BRS	2	reflect\$5 with electrode and ((("257/66,69,70,72").CCLS.) and (pmos nmos (n p "n" "p") adj (mos channel)) not ((("257/66,69,70,72").CCLS.) and pixel\$1 and (pmos nmos (n p "n" "p") adj (mos channel))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
20	BRS	1	(columnar adj (support\$1 spacer\$1)) and (438/\$ 257/\$) not ((columnar adj (support\$1 spacer\$1)) and (438/\$ 257/\$) and (lcd liquid adj crystal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB

	Time Stamp	Comments	Error Definition	Errors
17	2001/10/02 16:27			0
18	2001/10/02 16:42			0
19	2001/10/02 16:42			0
20	2001/10/02 16:44		Truncation Overflow. Return string from Server is: 5`0`0`438	1

	Type	Hits	Search Text	DBs
21	BRS	82	((((("257/66,69,70,72").CCLS.) and (pmos nmos (n p "n" "p") adj (mos channel)) not ((((("257/66,69,70,72").CCLS.) and pixel\$1 and (pmos nmos (n p "n" "p") adj (mos channel)))) and (ldd lightly adj dop\$3 near (source drain) extension\$1 near2 dop\$3)) ((((("257/66,69,70,72").CCLS.) and (pmos nmos (n p "n" "p") adj (mos channel)) not ((((("257/66,69,70,72").CCLS.) and pixel\$1 and (pmos nmos (n p "n" "p") adj (mos channel)))) and organic with insulat\$5 with interlayer) (reflect\$5 with electrode and ((((("257/66,69,70,72").CCLS.) and (pmos nmos (n p "n" "p") adj (mos channel)) not ((((("257/66,69,70,72").CCLS.) and pixel\$1 and (pmos nmos (n p "n" "p") adj (mos channel))))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB

	Time Stamp	Comments	Error Definition	Errors
21	2001/10/02 16:45			0

	Type	Hits	Search Text	DBs
22	BRS	83	((((("257/66,69,70,72").CCLS.) and (pmos nmos (n p "n" "p") adj (mos channel)) not ((((("257/66,69,70,72").CCLS.) and pixel\$1 and (pmos nmos (n p "n" "p") adj (mos channel)))) and (ldd lightly adj dop\$3 near (source drain) extension\$1 near2 dop\$3)) ((((("257/66,69,70,72").CCLS.) and (pmos nmos (n p "n" "p") adj (mos channel)) not ((((("257/66,69,70,72").CCLS.) and pixel\$1 and (pmos nmos (n p "n" "p") adj (mos channel)))) and organic with insulat\$5 with interlayer) (reflect\$5 with electrode and ((((("257/66,69,70,72").CCLS.) and (pmos nmos (n p "n" "p") adj (mos channel)) not ((((("257/66,69,70,72").CCLS.) and pixel\$1 and (pmos nmos (n p "n" "p") adj (mos channel)))))) ((columnar adj (support\$1 spacer\$1)) and (438/\$ 257/\$) not ((columnar adj (support\$1 spacer\$1)) and (438/\$ 257/\$) and (lcd liquid adj crystal)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
23	BRS	20	(("257/66,69,70,72").CCLS.) and overlap\$4 with (ldd lightly adj dop\$3 near (source drain) extension\$1 near2 dop\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
24	BRS	20	(("257/66,69,70,72").CCLS.) and overlap\$4 with (ldd lightly adj dop\$3 near extension\$1 near2 dop\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
25	BRS	204	(("257/66,69,70,72").CCLS.) and (polyimide acrylic polyamide polyimidamide)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
26	BRS	134	(("257/66,69,70,72").CCLS.) and (polyimide acrylic polyamide polyimidamide) not semiconductor adj energy adj laboratory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
27	BRS	7	(("257/66,69,70,72").CCLS.) and interlayer with (polyimide acrylic polyamide polyimidamide) not semiconductor adj energy adj laboratory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB

	Time Stamp	Comments	Error Definition	Errors
22	2001/10/02 16:46			0
23	2001/10/03 09:54			0
24	2001/10/03 10:13			0
25	2001/10/03 10:14			0
26	2001/10/03 10:14			0
27	2001/10/03 10:22			0

	Type	Hits	Search Text	DBs
28	BRS	18	((("257/66,69,70,72").CCLS.) and (ILD dielectric) with (polyimide acrylic polyamide polyimideamide) not semiconductor adj energy adj laboratory not (((("257/66,69,70,72").CCLS.) and interlayer with (polyimide acrylic polyamide polyimideamide) not semiconductor adj energy adj laboratory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
29	BRS	175	((lcd liquid adj crystal)) and (ILD interlayer) with (polyimide acrylic polyamide polyimideamide) not semiconductor adj energy adj laboratory not (((("257/66,69,70,72").CCLS.) and interlayer with (polyimide acrylic polyamide polyimideamide) not semiconductor adj energy adj laboratory) (((("257/66,69,70,72").CCLS.) and (ILD dielectric) with (polyimide acrylic polyamide polyimideamide) not semiconductor adj energy adj laboratory not (((("257/66,69,70,72").CCLS.) and interlayer with (polyimide acrylic polyamide polyimideamide) not semiconductor adj energy adj laboratory)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
30	IS&R	1	("5841170").PN.	USPAT
31	IS&R	1	("5323042").PN.	USPAT
32	IS&R	1	("6088071").PN.	USPAT
33	BRS	0	6088071.URPN.	USPAT
34	BRS	4	("5182620" "5182661" "5721601" "5767927").PN.	USPAT
35	BRS	144	columnar adj (support\$1 spacer\$1) and (lcd liquid adj crystal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
36	BRS	139	columnar adj (support\$1 spacer\$1) and (lcd liquid adj crystal) not semiconductor adj energy adj laboratory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB

	Time Stamp	Comments	Error Definition	Errors
28	2001/10/03 14:01			0
29	2001/10/03 14:05			0
30	2001/10/03 12:12			0
31	2001/10/03 12:12			0
32	2001/10/03 14:02			0
33	2001/10/03 14:01			0
34	2001/10/03 14:01			0
35	2001/10/03 14:05			0
36	2001/10/03 15:03			0

	Type	Hits	Search Text	DBs
37	BRS	0	6275061.URPN.	USPAT
38	BRS	4	("5377030" "5506516" "5576730" "5608558").PN.	USPAT
39	BRS	0	6238754.URPN.	USPAT
40	BRS	1	"5625475".PN.	USPAT
41	BRS	0	6163357.URPN.	USPAT
42	BRS	11	("3967882" "4390245" "4775225" "4844597" "5148301" "5338240" "5381255" "5537235" "5566013" "5739888" "5880803").PN.	USPAT
43	BRS	0	6088071.URPN.	USPAT
44	BRS	4	("5182620" "5182661" "5721601" "5767927").PN.	USPAT
45	BRS	0	5986729.URPN.	USPAT
46	BRS	4	("4241339" "5625474" "5712695" "5724109").PN.	USPAT
47	BRS	9	5614731.URPN.	USPAT
48	BRS	2	("5051800" "5559344").PN.	USPAT
49	BRS	35	6275061.URPN. (("5377030" "5506516" "5576730" "5608558").PN.) 6238754.URPN. "5625475".PN. 6163357.URPN. (("3967882" "4390245" "4775225" "4844597" "5148301" "5338240" "5381255" "5537235" "5566013" "5739888" "5880803").PN.) 6088071.URPN. (("5182620" "5182661" "5721601" "5767927").PN.) 5986729.URPN. (("4241339" "5625474" "5712695" "5724109").PN.) 5614731.URPN. (("5051800" "5559344").PN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
50	BRS	8	5625474.URPN.	USPAT
51	BRS	6	("4878741" "5015074" "5032007" "5386307" "5414545" "5450222").PN.	USPAT

	Time Stamp	Comments	Error Definition	Errors
37	2001/10/03 14:44			0
38	2001/10/03 14:44			0
39	2001/10/03 14:44			0
40	2001/10/03 14:44			0
41	2001/10/03 14:44			0
42	2001/10/03 14:44			0
43	2001/10/03 14:44			0
44	2001/10/03 14:44			0
45	2001/10/03 14:45			0
46	2001/10/03 14:45			0
47	2001/10/03 14:46			0
48	2001/10/03 14:46			0
49	2001/10/03 14:56			0
50	2001/10/03 14:55			0
51	2001/10/03 14:55			0

	Type	Hits	Search Text	DBs
52	BRS	14	5625474.URPN. (("4878741" "5015074" "5032007" "5386307" "5414545" "5450222").PN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
53	BRS	13588	(spacer\$1) and (lcd liquid adj crystal) not semiconductor adj energy adj laboratory not (columnar adj (support\$1 spacer\$1) and (lcd liquid adj crystal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
54	BRS	503	((spacer\$1) and (lcd liquid adj crystal) not semiconductor adj energy adj laboratory not (columnar adj (support\$1 spacer\$1) and (lcd liquid adj crystal))) and (438/\$ 257/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB

	Time Stamp	Comments	Error Definition	Errors
52	2001/10/03 14:56			0
53	2001/10/03 15:04			0
54	2001/10/03 15:10		Truncation Overflow. Return string from Server is: 5`0`0`438	1